EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((fax or facsimile) near3 (receiv$5) with (first adj2 angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:40
S2	5	((fax or facsimile) with (first adj2 angle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:45
S3	2	"54122695".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:45
S4	2	"5412695".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:47
S5	1	"083211".ap. and plotter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:52
S6	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:54
S7	0	((fax or facsimile) with (print$5) with (key or keyboard) near3 layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:56
S8	2	((fax or facsimile or communication) with (print$5) with (key or keyboard) near3 layout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 15:58
S9	14	((fax or facsimile or communication) with (print$5) with (key or keyboard) near3 (label or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:01
S10	233	((fax or facsimile or communication) and (print$5) with (key or keyboard) near3 (label or layout))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:01
S11	233	((fax or facsimile or communication) and ((print$5) with (key or keyboard) near3 (label or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:01
S12	149	((fax or facsimile or communication) and ((print$5) near3 (key or keyboard) near3 (label or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:03
S13	43	S12 and ((user or operator) near3 (select$5 or choos$5) near3 (key or keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:02

EAST Search History

S14	42	((fax or facsimile or communication) and ((printing or printer) near3 (key or keyboard) near3 (label or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:04
S15	0	((fax or facsimile or communication) and ((printing or printer) near3 (key or keyboard) near3 (label near4 layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:04
S16	0	((fax or facsimile or communication) and ((print$5) near3 (key or keyboard) near3 (label near4 layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:04
S17	26	((fax or facsimile or communication) and ((print$5) near3 (key or keyboard) near3 (layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:05
S18	9	(((select$5 or choos$5) near4 (key or keyboard) near3 (layout)) same ((print$5) near3 (key or keyboard) near3 (layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:15
S19	53	(((select$5 or choos$5 or designat$5) near4 (key or keyboard or keypad) near3 (style or arrangement or pattern or array or layout)) same ((print$5) near3 (select$5 or chosen or designat$5) near4 (key or keyboard) near3 (style or arrangement or pattern or array or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:29
S20	11	S19 and ((changeable or configurable or alter$6) near3 (key or keyboard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:20
S21	173	(((select$5 or choos$5 or designat$5) near4 (key or keyboard or keypad) near3 (style or arrangement or pattern or array or layout)) same ((print$5 or generat$5 or output$5) near3 (select$5 or chosen or designat$5) near4 (style or arrangement or pattern or array or layout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:30
S22	4	S21 and (communication adj2 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:33
S23	22	S21 and ((communication adj2 device) or cellular or mobile or fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:38
S24	33	S21 and ((communication adj2 device) or cellular or mobile or fax or facsimile or telephone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/12 16:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:01
S2	29	("5387042").URPN.	USPAT	OR	ON	2006/08/14 13:09
S3	2	("5387042").URPN. and (print$5 with (label$5 or keyboard or template or layout))	USPAT	OR	ON	2006/08/14 13:10
S4	8	("5387042").URPN. and (output$5 with (label$5 or keyboard or template or layout))	USPAT	OR	ON	2006/08/14 13:14
S5	3249	"400".clas. and ((print$5 or output$5) with (label$5 or keyboard or template or layout))	USPAT	OR	ON	2006/08/14 13:14
S6	2937	"400".clas. and ((print$5) with (label$5 or keyboard or template or layout))	USPAT	OR	ON	2006/08/14 13:14
S7	29523	"400".clas.	USPAT	OR	ON	2006/08/14 13:14
S8	1848	"400".clas. and ((print$5) near3 (label$5 or keyboard or template or layout))	USPAT	OR	ON	2006/08/14 13:14
S9	949	"400".clas. and ((print$5) near3 (keyboard))	USPAT	OR	ON	2006/08/14 13:15
S10	5	"400".clas. and ((print$5) near3 (keyboard) near3 (layout or template))	USPAT	OR	ON	2006/08/14 13:16
S11	43	"400".clas. and ((print$5) near3 (keyboard) near3 (label$3 or layout or template))	USPAT	OR	ON	2006/08/14 13:16
S12	38	"400".clas. and ((print$5) near3 (keyboard) near3 (label$3))	USPAT	OR	ON	2006/08/14 13:17
S13	12	"400".clas. and ((print$5) near3 (keyboard) near3 (label$3)) and ((select$5 or chang$6 or configur$5) near3 keyboard)	USPAT	OR	ON	2006/08/14 13:18
S14	1	"400".clas. and ((print$5) near3 (keyboard) near3 (label$3)) and ((select$5 or chang$6 or configur$5) near3 keyboard near3 (layout or template or arrangement or design or pattern or array))	USPAT	OR	ON	2006/08/14 13:19
S15	1	((print$5) near3 (keyboard) near3 (label$3)) and ((select$5 or chang$6 or configur$5) near3 keyboard near3 (layout or template or arrangement or design or pattern or array))	USPAT	OR	ON	2006/08/14 13:19
S16	1	((print$5) near3 (keyboard or keypad) near3 (label$3)) and ((select$5 or chang$6 or configur$5) near3 keyboard near3 (layout or template or arrangement or design or pattern or array))	USPAT	OR	ON	2006/08/14 13:20
S17	2	((print$5) near3 (keyboard or keypad) near3 (label$3)) and ((select$5 or chang$6 or configur$5) near3 (keypad or keyboard) near3 (layout or template or arrangement or design or pattern or array))	USPAT	OR	ON	2006/08/14 13:24
S18	4	((print$5) near3 (keyboard or keypad) near3 (label$3 or template)) and ((select$5 or chang$6 or configur$5) near3 (keypad or keyboard) near3 (layout or template or arrangement or design or pattern or array))	USPAT	OR	ON	2006/08/14 13:24

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:14
S2	1	"5387042".pn. and print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 14:49
S3	2	"5680158".pn. and print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 14:49
S4	0	("5680158").URPN.	USPAT	OR	ON	2006/08/23 15:20
S5	11	("4075621" | "4215240" | "4289411" | "4374425" | "4428065" | "4503426" | "4788649" | "4922448" | "5008847" | "5030101" | "5154614").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:27
S6	0	(printable near3 (keyboard or key) near3 (overlay or template))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:28
S7	86	(printable near3 (keyboard or key))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:28
S8	43	(printable near3 (keyboard or key)) and ((select$5 or choos$5) near3 (keyboard or key))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:28
S9	21	(printable near3 (keyboard or key)) and ((select$5 or choos$5) near3 (keyboard or key)) and communicat$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:32
S10	7	(print$5 near2 template near8 (keyboard or key)) and ((select$5 or choos$5) near3 (keyboard or key)) and communicat$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:39
S11	23	400/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 15:39
S12	357	(print$5 near2 (base or layour or arrangement or template) near8 (keyboard or key))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:45
S13	0	S11 and S12	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:44
S14	4	("6301626").URPN.	USPAT	OR	ON	2006/08/23 15:42
S15	92	"400".clas. and S12	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:47
S16	447	(print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:45
S17	454	(print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:47
S18	131	"400".clas. and S17	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:48
S19	38	(print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board)) same (communicat$5 or fax or facsimile or pda or cellphone or mobile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:52

EAST Search History

S20	4	"400".clas. and S19	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 15:48
S21	107	(print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 10:45
S22	75	S21 and ((different or chang$5 or modif$9 or select$5 or choos$5 alter$9 or configurable or adjust$8) near3 (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:46
S23	41	((printer or printing) with print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 16:20
S24	41	((printer or printing or plotter) with print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 16:20
S25	42	((printer or printing or plotter) with print$5 near2 (base or layout or arrangement or template or overlay) near8 (keyboard or key or keypad or key-board)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 16:21
S26	1	((printer or printing or plotter) with print$5 near2 (base or layout or pattern or format$5 or configuration or arrangement or template or overlay) near8 (keyboard or key or keypad or key-board)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board)) and ((user or operator) near3 (select$5 or choos$5) near3 (keyboard or key or keypad or key-board) near3 (base or layout or configuration or arrangement or template or format$5 or overlay))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/23 16:29
S27	1	"5943655".pn. and (print$5 near3 screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:39
S28	2	"5943655".pn. and (screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:30
S29	1	"5943655".pn. and (chang$5 near3 screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:40
S30	0	"5943655".pn. and (chang$5 near3 touch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:40
S31	1	"5943655".pn. and (chang$5 same touch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:42
S32	0	"5943655".pn. and (label45)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:42

S33	0	"5943655".pn. and (label45)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:42
S34	1	"5943655".pn. and (label$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:42
S35	1	"5943655".pn. and (print$5 with label$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:43
S36	1	"5943655".pn. and (print$5 with select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:43
S37	0	"5943655".pn. and (touch adj2 screen near3 format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:44
S38	1	"5943655".pn. and (touch adj2 screen same format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 16:44
S39	1	"5943655".pn. and (display$5 near2 format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:20
S40	1	"5943655".pn. and (print$5 near2 format$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:26
S41	1	"5943655".pn. and (chang$5 near4 screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:29
S42	1	"5943655".pn. and print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:39
S43	1	"5943655".pn. and label$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:41
S44	1	"5943655".pn. and label$5 same print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:42
S45	1	"5943655".pn. and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:42

EAST Search History

S46	1	(print$5 near2 (base or layout or arrangement or template) near8 (keyboard or key or keypad or key-board) with label$5) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 10:46
S47	226	(print$5 near8 (keyboard or key or keypad or key-board) with label$5) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 10:50
S48	164	S47 and ((substitut$6 or different or chang$5 or modif$9 or select$5 or choos$5 alter$9 or configurable or adjust$8) near3 (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 10:47
S49	123	((select$5 or choos$5 or configurable or switch$5 or replac$5 or altering or alterable or modifying or modified or modifiable or chang$5) near4 ((keyboard or key or keypad or key-board) adj2 label$5)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) with (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 11:28
S50	7	S49 and ((print$5 or affix$5 or stamp$5 or output$5) near3 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:30
S51	0	"4202041".pn. and (print$5 near4 overlay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:13
S52	0	"4202041".pn. and (print$5 same overlay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:13
S53	1	"4202041".pn. and (print$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:14
S54	0	"4202041".pn. and (keyboard adj2 image) with ouput$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:14
S55	2	"4202041".pn. and (keyboard adj2 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:16
S56	0	"4202041".pn. and (keyboard adj2 image) and print45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:16
S57	1	"4202041".pn. and (keyboard adj2 image) and print$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:16
S58	55	("4202041").URPN.	USPAT	OR	ON	2006/08/24 11:23
S59	182	((select$5 or choos$5 or configurable or switch$5 or replac$5 or altering or alterable or modifying or modified or modifiable or chang$5) near4 ((keyboard or key or keypad or key-board) adj2 label$5)) and ((communicat$5 or fax or facsimile or pda or cellphone or mobile) same (keyboard or key or keypad or key-board))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 11:33

S60	10	S59 and ((print$5 or affix$5 or stamp$5 or output$5) near3 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:33
S61	437	((select$5 or choos$5 or configurable or switch$5 or replac$5 or altering or alterable or modifying or modified or modifiable or chang$5) near4 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 11:37
S62	20	S61 and ((print$5 or affix$5 or stamp$5 or output$5) near3 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:37
S63	449	((select$5 or choos$5 or configurable or switch$5 or replac$5 or altering or alterable or modifying or modified or modifiable or chang$5 or variable) near4 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 11:41
S64	20	S63 and ((print$5 or affix$5 or stamp$5 or output$5) near3 ((keyboard or key or keypad or key-board) adj2 label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:42
S65	3054	((select$5 or choos$5 or configurable or switch$5 or replac$5 or altering or alterable or modifying or modified or modifiable or chang$5 or variable) near4 ((keyboard or key or keypad or key-board) adj2 (format or layout or configuration or type or kind or placement or arrangement)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 12:03
S66	565	S65 and ((imprint$5 or print$5 or affix$5 or stamp$5 or output$5) near3 (format or layout or configuration or type or kind or placement or arrangement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:45
S67	54	((variable) near4 ((keyboard or key or keypad or key-board) adj2 (format or layout or configuration or type or kind or placement or arrangement)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 11:43
S68	9	S67 and ((imprint$5 or print$5 or affix$5 or stamp$5 or output$5) near3 (format or layout or configuration or type or kind or placement or arrangement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:44
S69	299	S65 and ((imprint$5 or print$5 or affix$5 or stamp$5) near3 (format or layout or configuration or type or kind or placement or arrangement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:45
S70	57	S65 and ((imprint$5 or print$5 or affix$5 or stamp$5) near3 (select$5 or chosen or designat$5) near5 (format or layout or configuration or type or kind or placement or arrangement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 11:59
S71	8	S65 and ((imprint$5 or print$5 or affix$5 or stamp$5) near3 (select$5 or chosen or designat$5) near5 (cover$3 or label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:01
S72	32	S65 and ((imprint$5 or print$5 or affix$5 or stamp$5) near3 (keyboard or key-board or keypad or key) near5 (cover$3 or label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:04
S73	144	((generat$5 or produc$5 or creat$5) near4 ((keyboard or key or keypad or key-board) adj2 (cover or label)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 12:03

S74	321	((generat$5 or produc$5 or creat$5) near4 ((keyboard or key or keypad or key-board) near3 (cover or label)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/24 12:03
S75	4	S74 and ((printer) near3 (keyboard or key-board or keypad or key) near5 (cover$3 or label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:06
S76	31	S74 and ((print$5) near3 (keyboard or key-board or keypad or key) near5 (cover$3 or label$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:21
S77	1	"4202041".pn. and label$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:22
S78	1	"4202041".pn. and label$5 same display$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 12:31
S79	2	"5680158".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/24 13:24

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"4202041".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:00
S2	0	"4202041".pn. and (print$5 same overlay$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:01
S3	1	"4202041".pn. and (print$5 and overlay$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:01
S4	55	("4202041").URPN.	USPAT	OR	ON	2006/08/30 12:07
S5	23	("4202041").URPN. and (print$5 same (keyboard or keypad or key))	USPAT	OR	ON	2006/08/30 12:08
S6	16	("4202041").URPN. and (print$5 with (keyboard or keypad or key))	USPAT	OR	ON	2006/08/30 12:08
S7	15	("3325786" | "3534396" | "3631457" | "3731299" | "3757322" | "3760360" | "3766528" | "3773989" | "3777222" | "3811113" | "3859635" | "4028695" | "4070710").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/30 12:11
S8	1	((replac$4 or substitut$5 or chang$5) near3 (keyboard or keypad) near3 (layout or overlay or panel)) same ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (layout or overlay or panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:13
S9	1	((replac$4 or substitut$5 or chang$5) near3 (keyboard or keypad or key) near3 (cover$3 or layout or overlay or panel)) same ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (cover$3 or layout or overlay or panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:14
S10	1	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (cover$3 or layout or overlay or panel)) same ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (cover$3 or layout or overlay or panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:15
S11	3	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) same ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:17
S12	36	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:25
S13	43	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or output$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:17
S14	36	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or output$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:26

S15	20	((replac$4 or substitut$5 or chang$5 or reconfigur$5) near3 (keyboard or keypad or key) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:29
S16	20	((replac$4 or substitut$5 or chang$5 or reconfigur$5 or reassign$8) near3 (keyboard or keypad or key) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:27
S17	4	((replac$4 or substitut$5 or chang$5 or reconfigur$5 or reassign$5 or reformat$5 or alter$5) near3 (keyboard or keypad) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:34
S18	56	((select$5 or chosen or choos$5 or designat$5 or assign$8) near3 (keyboard or keypad) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:43
S19	0	((select$5 or chosen or choos$5 or designat$5 or assign$8) near3 (keyboard or keypad) near3 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (panel$3 or cover$3 or layout or overlay$5 or arrangement or pattern or array or panel$5) with label$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:35
S20	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:42
S21	5	((select$5 or chosen or choos$5 or designat$5 or assign$8) near3 (keyboard or keypad) near3 (template)) and ((print$5 or reproduc$5 or record$5) near3 (select$5 or chosen or designat$5 or assign$8) near4 (template))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 12:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	473	((fax or facsimile or pda) same (print$5) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:49
S2	208	((pda) same (print$5) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:49
S3	3	((pda) same (print$5) same ((select$5 or choos$5) near3 (keyboard or keypad)) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:53
S4	3	((pda or palmtop or palm-top) same (print$5) same ((select$5 or choos$5) near3 (keyboard or keypad)) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:54
S5	3	((pda or palmtop or palm-top) same (print$5) same ((select$5 or choos$5 or designat$5 or assign$8) near3 (keyboard or keypad)) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:54
S6	11	((pda or palmtop or palm-top or cellphone or (cell adj2 phone) or phone or telephone) same (print$5) same ((select$5 or choos$5 or designat$5 or assign$8) near3 (keyboard or keypad)) same (print$5 near2 (keyboard or keypad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:58
S7	4	(print$5) adj4 ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad)) adj4 (layout or style or type or format or arrangement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:02
S8	4	(print$5 or imprint$5 or emboss$5) adj4 ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad)) adj4 (layout or style or type or format or arrangement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:02
S9	4	(print$5 or imprint$5 or emboss$5) adj4 ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:09
S10	11	(print$5 or imprint$5 or emboss$5 or record$5) adj4 ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:09
S11	11	(print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:15
S12	20	("4899137").URPN.	USPAT	OR	ON	2006/09/01 16:52
S13	122	(print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 ((keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:30

S14	36	S13 and ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:56
S15	2	"6050825".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:25
S16	18	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 ((keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)) same ((printer or imprinter or imprinting or embosser or embossing or recorder or recording or reproduction or reproducing or reproducer) near2 (device or unit or section or apparatus or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:32
S17	44	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 ((keyboard or keypad)) adj4 (layout or style or type or format or arrangement or configuration)) and ((printer or imprinter or imprinting or embosser or embossing or recorder or recording or reproduction or reproducing or reproducer) near2 (device or unit or section or apparatus or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:52
S18	14	S17 and ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:34
S19	2	"6050825".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:37
S20	4	("6050825").URPN.	USPAT	OR	ON	2006/09/01 15:50
S21	30192	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 (layout or style or type or format or arrangement or configuration)) same ((printer or imprinter or imprinting or embosser or embossing or recorder or recording or reproduction or reproducing or reproducer) near2 (device or unit or section or apparatus or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:53
S22	34013	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration)) same ((printer or imprinter or imprinting or embosser or embossing or recorder or recording or reproduction or reproducing or reproducer) near2 (device or unit or section or apparatus or machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:01
S23	601	S22 and ((overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:00
S24	112	S23 and ((select$5 or choos$5 or chosen or designat$5 or assign$8) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 15:56
S25	68	S24 and (fax or facsimile or pda or palmtop or communicat$5 or telephone or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:35
S26	89	S22 and ((overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration) near3 (qwerty or dvorak or foreign))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:00

EAST Search History

S27	9	S22 and ((overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration) near3 (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:02
S28	169207	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration)) same ((printer or printing or imprinter or imprinting or embosser or embossing or recorder or recording or reproduction or reproducing or reproducer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:09
S29	97	S28 and ((overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration) near3 (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:06
S30	87	S29 and (fax or facsimile or pda or palmtop or communicat$5 or telephone or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:02
S31	96	S28 and ((keyboard or keypad) same (select$5 or choos$5 or chosen or designat$5 or assign$8) same (qwerty or dvorak or french or foreign or abc))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:07
S32	29	S28 and ((keyboard or keypad) same (select$5 or choos$5 or chosen or designat$5 or assign$8) same (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:08
S33	1	S28 same ((keyboard or keypad) same (select$5 or choos$5 or chosen or designat$5 or assign$8) same (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:10
S34	238594	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) adj4 (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:11
S35	6	S34 same ((keyboard or keypad) same (select$5 or choos$5 or chosen or designat$5 or assign$8) same (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:11
S36	3765030	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:14
S37	90	S36 same ((keyboard or keypad) same (select$5 or choos$5 or chosen or designat$5 or assign$8) same (qwerty or dvorak))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:12
S38	12	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) near4 (qwerty or dvorak) near3 (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:17
S39	27	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) near4 (qwerty or dvorak) same (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:17

S40	22	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5) near4 (qwerty or dvorak) same (keyboard or keypad) same (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:19
S41	34	((print$5 or imprint$5 or emboss$5 or record$5 or reproduc$5 or mark$5) near4 (qwerty or dvorak) same (keyboard or keypad) same (overlay$5 or panel or cover$5 or layout or style or type or format or arrangement or configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:19
S42	315	((fax or facsimile or pda or palmtop or communicat$5 or telephone or phone) with (variable or configurable) with (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:35
S43	4	((fax or facsimile or pda or palmtop or communicat$5 or telephone or phone) with (variable or configurable) with (keyboard or keypad)) same (print$5) near3 (keyboard or keypad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:38
S44	9	((fax or facsimile or pda or palmtop or communicat$5 or telephone or phone) with (variable or configurable) with (keyboard or keypad)) same ((output$5) near3 (keyboard or keypad))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:40
S45	1	"4899137".PN.	USPAT	OR	ON	2006/09/01 16:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	(kazuhiro near2 satoh).in. and keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:34
L3	22	((select$5 or choos$5 or assign$8 or designat$5) near3 (keyboard or keypad or key-board)) same (qwerty) same dvorak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:35
L4	23	((select$5 or choos$5 or assign$8 or designat$5 or determin$8) near3 (keyboard or keypad or key-board)) same (qwerty) same dvorak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:46
L5	7	4 and ((print$5 or record$5 or output$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5) near4 (keyboard or keypad or key-board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:46
L6	0	4 same ((print$5 or record$5 or output$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:46
L7	91	((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) same (qwerty) same dvorak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:52
L8	17	7 same ((print$5 or record$5 or output$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:46
L9	2329	((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) and ((qwerty) or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:54
L10	981	(((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) same ((print$5 or record$5 or output$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5))) and ((qwerty) or dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 10:56
L11	233	(((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) same ((print$5 or record$5 or output$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5))) and ((qwerty) and dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:01
L12	62	(((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) same ((print$5 or record$5 or imprint$5 or embos$5 or stamp$5 or engrav$5 or plot$5))) and ((qwerty) and dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:27
L13	2	"20030038735".pn. and ((print$5 or imprint$5) same (key$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:24
L14	2	"5387042".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:34

L15	0	(((select$5 or choos$5 or assign$8 or designat$5 or determin$8) same (keyboard or keypad or key-board)) same ((etch$5))) and ((qwerty) and dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:27
L16	1	(((keyboard or keypad or key-board)) same ((etch$5))) and ((qwerty) and dvorak)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:27
L17	2	"5387042".pn. and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:36
L18	1	"5387042".pn. and template with construct$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:40
L19	1	"5387042".pn. and template same (produc$5 or creat$5 or construct$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:42
L20	1	"5387042".pn. and template same (imprint$5 or print$5 or produc$5 or creat$5 or construct$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:44
L21	1	"5387042".pn. and (layout or template) same (imprint$5 or print$5 or produc$5 or creat$5 or construct$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:49
L22	1	"5387042".pn. and ((layout or template) near4 design$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:58
L23	2	"20030108375".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/02 11:58